Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	548	219/69.15.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/12 14:49
S2	235	219/84.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/12 16:13
S3	19	S1 and ((annular or disc of conical)with tip) and electrode	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/12 14:10
S4	127	(("1300603") or ("1308778") or ("3102945") or ("3430027") or ("3504155") or ("3596043") or ("3842235") or ("4137444") or ("4160892") or ("4258245") or ("4334138") or ("4352001") or ("4376883") or ("4376884") or ("4389556") or ("4401874") or ("4404447") or ("4409456") or ("4410781") or ("4476371") or ("4536636") or ("4559431") or ("4572937") or ("4591686") or ("4595326") or ("4652714") or ("4652715") or ("4652720") or ("4714816") or ("4732026") or ("4760234") or ("4788405") or ("4795875") or ("4820896") or ("4830094") or ("4868364") or ("4879445") or ("4939335") or ("5122629") or ("5171961") or ("5249725") or ("5313041") or ("5622637") or ("5811750") or ("5925264") or ("6011236") or ("6479784")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/12 14:10

S5	2	("1308778").URPN.	USPAT	OR	ON	2005/07/12 14:23
S9	16026	S8 with steel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 14:53
S10	180	S8 with (high near5 strength near5 steel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 15:01
S11	69	resistance with weld$3 with electrode with design	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 15:01
S12	94	annular with electrode with welding with tip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/12 16:14
S13	4	("3219790" | "5508488" | "6355900").PN. OR ("6765171").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/12 16:16
S14	12	("1303919" | "2379187" | "3574075" | "4591687" | "4972046").PN. OR ("5304769").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/12 16:32

S15	987	219/117.1.ccls.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T	OR	ON	2005/07/12 16:34
S16	0	S15 with (high with strength with steel)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T	OR	ON	2005/07/12 16:34
S17	11	S15 and (high with strength with steel)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T	OR	ON	2005/07/12 16:34
S19	227	tokujiro.in.	JPO; DERWEN T	OR	ON	2005/07/13 08:55
S20	3629	bradley.in.	EPO; DERWEN T	OR	ON	2005/07/13 08:57
S21	1719	nugget near10 weld$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/13 11:04
S22	5952	resistance near10 weld$3 near10 steel	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/13 11:26

S23	952	219/118.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:06
S24	8271	S21 or S22 or S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:06
S25	21	S21 and S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:14
S26	67	S21 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:18
S28	434	resistance near10 weld$3 near10 electrode near10 steel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:20

S29	2965	S21 or S23 or S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:20
S31	2098	S21 or S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:21
S32	55	S21 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:21
S33	474	resistance near10 weld$3 near10 (high with strength with steel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:27
S35	197878	koji.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/13 11:43

S37	21	S35 and spot with resistance with weld$3 with electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/13 12:51
S39	36	(annular or doughnut or disc or nugget) with tip with shape with weld$3 with electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/13 12:52
S40	8	("2284483").URPN.	USPAT	OR	ON	2005/07/13 14:13
S41	692	(148/320).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/14 08:53
S43	230	S41 and yield near20 strength	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 08:54
S44	230	S41 and yield near20 strength	US-PGPUB; USPAT	OR	ON	2005/07/14 08:56
S45	100	S44 and weld$3	US-PGPUB; USPAT	OR	ON	2005/07/14 09:14
S46	423	219/117.1.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/14 12:44
S49	549	S46 or ((mild near20 carbon near20 steel) and (high near20 strength near20 steel))	US-PGPUB; USPAT	OR	ON	2005/07/14 12:37
S50	664	S46 or ((mild with (high near20 strength))with steel)	US-PGPUB; USPAT	OR	ON	2005/07/14 09:21
S52	87	("3263387" | "3868796" | "3938288" | "3964208"). PN. OR ("4090734"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/14 09:33

S53	31	("3272667" | "3318729" | "3392263" | "3496322" | "3539765" | "3769491" | "3796609" | "3867608" | "3868487" | "3959031" | "3999036" | "4029934" | "4071734" | "4251711" | "4379811" | "4432937" | "4443406" | "4465921" | "4675056" | "4683011" | "4764224" | "5003155"). PN. OR ("5300754"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/14 10:06
S54	32	("2467636" | "2967228" | "3433921" | "3581047" | "3842235" | "4214142" | "4296304" | "4317980" | "4441006" | "4447700" | "4461944" | "4542277" | "4684778" | "4795875" | "4841113" | "4861959" | "4970361" | "4984171" | "5220145" | "5225647" | "5288968" | "5360156" | "5376766" | "5393950" | "5645738").PN. OR ("5818008").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/14 10:13
S55	71	("3123170" | "3493257" | "4090734" | "4103459" | "4238540" | "4397490" | "4559274" | "4610836" | "4751249" | "4836516" | "4853270" | "4861097" | "4901500" | "4908930" | "4922596" | "4923902" | "4978562" | "4995545" | "5122398" | "5124186" | "5255487" | "5575526"). PN. OR ("6096403"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/14 10:31

S56	71	("3123170" | "3493257" | "3815307" | "4090734" | "4238540" | "4397490" | "4559274" | "4610836" | "4751249" | "4836516" | "4853270" | "4861097" | "4901500" | "4908930" | "4922596" | "4923902" | "4995545" | "5122398" | "5124186" | "5209541" | "5255487").PN. OR ("6168226").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/14 10:40
S57	12	("3683147" | "4118543" | "4273983" | "4305087" | "4480166" | "5136135" | "5328527" | "5330097" | "5473133" | "5942135" | "6037559" | "6222150"). PN. OR ("6642471"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/14 10:52
S58	17	("1172301" | "1172302" | "1249532" | "1822197" | "3256419" | "3652820" | "5063278").PN. OR ("5473133").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/14 11:05
S60	30	(mild near20 steel) near20 (high near20 strength near20 steel) near20 weld$3	US-PGPUB; USPAT	OR	ON	2005/07/14 11:14
S64	162	(spot or resistance) near20 weld$3 near20 (mild or (high near10 strength) or alloy) near20 steel near (sheet or sheets or plate or plates or member or members)	US-PGPUB; USPAT	OR	ON	2005/07/14 11:48
S65	65	(spot or resistance) near20 weld$3 near20 (mild or (high near10 strength) or alloy) near20 steel near (sheet or sheets or plate or plates or member or members)	USOCR	OR	ON	2005/07/14 11:48
S69	15	("2848595" | "3068350" | "3149221" | "3654424"). PN. OR ("4442337"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/14 12:32

S71	179574 3	resistance with weld$3 with (two or laminated or composite) or (sheet or sheets or plate or plates) mild with steel	US-PGPU B; USPAT	OR	ON	2005/07/14 12:40
S72	179184 8	resistance with weld$3 with (two or laminated or composite) or (sheet or sheets or plate or plates) mild with carbon with steel	US-PGPU B; USPAT	OR	ON	2005/07/14 12:41
S76	30	("0802707" | "2427588" | "2510960" | "2715172" | "2718581" | "2751482" | "2818490" | "3200231" | "3306838" | "3427423" | "3475312" | "3524038" | "3561662" | "3622735" | "4023005").PN. OR ("4565914").URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/07/14 12:43
S78	10	S46 and (mild with steel) with (plate or plates or sheet or sheets)	US-PGPU B; USPAT	OR	ON	2005/07/14 12:45
S79	10	("3036200" | "3443055"). PN. OR ("3644698"). URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/07/14 12:55
S80	30	("0802707" | "2427588" | "2510960" | "2715172" | "2718581" | "2751482" | "2818490" | "3200231" | "3306838" | "3427423" | "3475312" | "3524038" | "3561662" | "3622735" | "4023005").PN. OR ("4565914").URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/07/14 13:09
S81	44	(mild near20 steel) near20(weld$3 or join$3 or bond$3) near20 (high near10 strength near10 steel)	US-PGPU B; USPAT; USOCR	OR	ON	2005/07/14 13:11
S82	4	("1206890" | "5030814"). PN. OR ("5977505"). URPN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/07/14 13:58

S83	6	("2826674" | "3317703").PN. OR ("5030814").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/14 13:59